(v) Safety Promotional Activities like Safety Weeks, Inter-Departmental House Keeping Competitions and other Safety Competitions are held through out the year,

(vi) High quality safety appliances confirming to BIS specifications are supplied free to all employees.

(vii) Movement of Heavy vehicles and material handling vehicles has been restricted during certain specified timings at die beginning and end of shifts so as to reduce vehicular accidents. In respect of contractors employees, the following preventive actions are taken:—

(a) Contractors and their wor kers have to take safety induction before starting the work.

(b) Persons required to work at heights are given special train ing in 'he use of safety belts and 'hey have to pass a test before a 'height pass' is ssued authoris ing them to work at heights.

Statement

Statistics for Fatal Accidents in VSP for the period January, 1994 *to March,* 1995

I. FATAL ACCIDENTS (REGULAR EMPLOYEES)

Sl.No.	Name (S/Shri)	Design/Deptt.	Date	Cuase
1	P. Sankara Rao . . .	Chargeman/B.F.	2-2-94	Hot metal
2	B. Sadguna Rao . . .	Chargeman/SMS	5-3-94	Material Handling

II. FATAL ACCIDENTS (CONTRACTORS EMPLOYEES)

Sl. No.	Name (S/Shri)	Place of accident	Date	Cause
1.	R. Papa Rao	RMHP	4-3-94	Electrical
2.	B. Appalanaidu . . .	CO&CCP	16-5-94	Material Handling
3.	V. Suri Babu . . .	BF (C)	5-7-94	Slips & Falls
4.	DB Patnaik . . .	SMS	4-1-95	Gas po ̈oning
5.	Dherma Rao . . .	CO&CCP	3-12-94	Slips & Falls

Productions of saleable steel

4982. SHRI RAHASBIHAKI BA-RIK: Will the Minister of *STEEL* be pleased to state:

(a) the total quantum of saleable steel produced by different Public Sector Steel Plants during 1991-92, 1992-93, 1998-94 and 1994-95;

(b) the total stock of saleable steel at present;

(c) whether the incidents of missing of saleable steel has been increasing every year; and

(d) if so, the steps taken to curt such incidents?

THE MINISTER OF STATE; OF THE MINISTRY OF STEEL (SHRI SONTOSH MOHAN DEV): (a) The saleable steel production at different Public Sector steel Plants for the period from 1991-92 to 1994-95 is as under:

(Unit :'000T)

Plant	1991-92	1992-93	1993-94	1994-95
Bhilai Steel Plant	3104	3118	3335	3409
Durgapur Steel Plant	681	641	642	852
Rourkela Steel Plant	1125	1179	1130	1201
Bokaro Steel Plant	2730	2999	3205	3168
Indian Iron & Steel Company Limited . .	387	398	333	332
Alloy Steel Plant	160	163	160	154
Salem Steel Plant	42	36	46	56
Visavesvaraya Iron & Steel Limited* . .	97	73	61	58
Visakhapatnam Steel Plant (RINL) . . .	517	879	1184	1560
Total	8843	9486	10096	10790

*Mild & Special Steel.

(b) The total stock of saleable] steel at the Steel Plants of Steel Authority of India Limited (SAIL) and its subsidiary as on 1-4-1995 is 605000 tonnes (Provisional).

(c) No, Sir so far as SAIL to concerned.

(d) Does not arise so far as SAIL is concerned.

Information in respect of VSP (RINL) for answer to (b) to (d) is being collected and will be laid on the Table of the House.

Dilapidated ceiling m Sector IV DIZ Area, New Delhi

4983. SHRI J. S. RAJU: Will the Minister of URBAN AFFAIRS & iCMPLOYMENT be pleased to state:

(a) whether it is a fact that due to poor maintenance of Government quarters some recent cases of falling ceiling plaster in 96 block of Sector IV DIZ Area, New Delhi were reported to CPWD; and

(b) if so, the action is taken by Government to avoid future mishaps?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN AFFAIRS & EMPLOYMENT (SHRI P. K. THUNGON): (a) The CPWD have reported that there has been only one incident of falling of plaster in one of the ROC Staircase (landing) in this block due to local rusting of reinforcement and * consequent swellng of concrete surface.

(b) whenever noticed, loose and unsound cover of plaster/doncrete is removed and made good.